


ASAP ds

Dart Aerospace Ltd.

Date: Monday, 22/09/2008 2:58:51 PM  
User: Linda Lacelle









# Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: MAINTENANCE STEP, RH
Job Number	: 42204		
Estimate Number	: 11284		
P.O. Number	:	Part Number	: D3436044
This Issue	: 22/09/2008 S.O. No. :	Drawing Number	: D3436 REV A
Prsht Rev.	: NC	Project Number	: N/A
First Issue	: / / Type : LARGE FAB ASSY	Drawing Revision	: A
Previous Run	: 41941	Material	:
Written By	: 	Due Date	: 29/09/2008 Qty: 3 Um: Each
Checked & Approved By	:		
Comment	: EsT A 05.05.11 New Issue KJ/JLM		

## Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
1.0	D34361	Clamp
 		
Comment: Qty.: 1.0000 Each(s)/Unit Total : 3.0000 Each(s) Clamp Pick: Qty Part Number Description Batch 1 D3436-1 Clamp <u>342205*</u>		
2.0	D34364	Right Step
 		
Comment: Qty.: 1.0000 Each(s)/Unit Total : 3.0000 Each(s) RH Step Pick: Qty Part Number Description Batch 1 D3436-4 <u>RH Step</u> <u>341945v</u>		
3.0	D34365	Bushing
 		
Comment: Qty.: 4.0000 Each(s)/Unit Total : 12.0000 Each(s) Bushing Pick: Qty Part Number Description Batch 4 D3436-5 Bushing <u>323357v</u>		
4.0	D34367	Cap
 		
Comment: Qty.: 1.0000 Each(s)/Unit Total : 3.0000 Each(s) Cap Pick: Qty Part Number Description Batch 1 D3436-7 Cap <u>338196v</u>		

*Pl 08-09-23*

*Pl 08-09-23*

*Pl 08-09-23*

*Pl 08-09-23*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

Date: Monday, 22/09/2008 2:58:51 PM  
User: Linda Lacelle

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: MAINTENANCE STEP, RH

Job Number: 42204

Part Number: D3436044

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

LARGE FAB 1

LARGE FABRICATION RESOURCE 1



Comment: LARGE FABRICATION RESOURCE 1

Weld bushings D3436-5 and clamp D3436-1 using welding Jig DT8772 and Dwg D3436 Dwg Rev: A

Qty Part Number Description Batch  
A/RN/A 4130 Welding Rod M100075

Weld right step D3436-4 using welding Jig DT8773 and Dwg D3436 Dwg Rev: A

Qty Part Number Description Batch  
A/RN/A 4130 Welding Rod M100075

Weld cap D3436-7 as per Dwg D3436 Dwg Rev: A

Qty Part Number Description Batch  
A/RN/A 4130 Welding Rod M100075

Pl 08-09-23  
X3

6.0

BAND SAW

BAND SAW



Comment: BAND SAW

Slit part D3436-041 on bandsaw as per Dwg D3436

Pl 08-09-23  
X3

7.0

QC9

VISUAL WELDING INSPECTION



Comment: VISUAL WELDING INSPECTION

Pl 08-09-23 (3)

8.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

S 08/09/23  
X3 RH

9.0

LARGE FAB 1

LARGE FABRICATION RESOURCE 1



Comment: LARGE FABRICATION RESOURCE 1

Deburr

Pl 08-09-23

10.0

POWDER COATING

POWDER COATING



M108523



3X RH

Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.2) as per QSI 005 4.3

Apply black anti-skid paint as per Dwg D3436 and QSI 005 4.4

START TIME:

OVEN TEMPERATURE:

7:15  
400 OF

FX 08/09/24 (3)  
M-1 08/09/24

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

Date: Monday, 22/09/2008 2:58:51 PM  
User: Linda Lacelle

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: MAINTENANCE STEP, RH

Job Number: 42204

Part Number: D3436044

Job Number:



Seq. #:

Machine Or Operation:

Description :

FINISH TIME:

7:45

11.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

*CP 08/09/24 (3)*

12.0

D34369

Pad



Comment: Qty.: 2.0000 Each(s)/Unit Total : 6.0000 Each(s)

Pad

Install pad using contact cement as per manufacturer's instructions and Dwg D3436

Dwg Rev: A

Pick:

Qty Part Number Description

Batch

2 D3436-9 Pad

*M41946*

A/R N/A Contact Cement

*M109109*

*CP 08/09/24 (3)*

13.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

*S 08/08/24 (x3)*

14.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: *STB*

*8/9/24*

*3X*

*50*

15.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

*08/09/24*

Job Completion



*CP 08/09/24*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_


Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**DART**

DESIGN MB	DRAWN BY MB	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. <b>D3436</b>	REV. A SHEET 1 OF 4
DATE <b>05.04.28</b>	TITLE <b>MAINTENANCE STEP</b>	SCALE 1:1	
A	05.04.28	NEW ISSUE	

**NOTES:**



- 1) POSITION PARTS AS PER JIGS DT8772 AND DT8773
- 2) WELD PER DART QSI 004
- 3) FILLET BOTH TOP AND BOTTOM EDGES OF CLAMP ALONG 2.38 I.D. SECTION TO 0.03 RADIUS TO PREVENT SCORING AND SCRATCHING OF SKID CROSS TUBE
- 4) FINISH: POWDER COAT WHITE GLOSS (4.3.5.2) PER DART QSI 005 4.3
- 5) APPLY BLACK ANTI-SKID PAINT AS SHOWN PER DART QSI 005 4.4
- 6) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 7) ALL DIMENSIONS ARE IN INCHES

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3436	REV. A SHEET 3 OF 4
DATE 05.04.28	TITLE MAINTENANCE STEP		SCALE 1:2



#### **D3436-3 LEFT STEP**

(D3436-4 RIGHT STEP - OPPOSITE, NOT SHOWN)

- 1) MATERIAL: AISI 4130N STEEL TUBING PER MIL-T-6736, AMS 6371, 6360, 6361, 6362, 6373 OR 6374 (REF. DART SPEC. M4130N-T1000W049)



*W/ 42204*

#### **D3436-7 CAP**

- 2) MATERIAL: AISI 4130N STEEL SHEET PER MIL-S-18729, AMS6350 OR AMS 6351 (REF. DART SPEC. M4130N-S050)

RELEASED

05-05-27 *[Signature]*

#### **D3436-3/-7, GENERAL NOTES:**

- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED  
4) ALL DIMENSIONS ARE IN INCHES  
5) BREAK ALL SHARP EDGES 0.005 TO 0.010



COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>MB</i>	APPROVED <i>MB</i>	DRAWING NO. D3436	REV. A SHEET 4 OF 4
DATE 05.04.28	TITLE MAINTENANCE STEP		SCALE 1:1



*no 42204*

RELEASED  
05-05-27 *MB*

**D3436-9 PAD**

**NOTES:**

- 1) MATERIAL: 60 DUROMETER NEOPRENE SHEET, 1/8" THICK  
(REF. DART SPEC. M-NEO60-S.125)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES

**COPYRIGHT © 2005 BY DART AEROSPACE LTD.**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.